LIST OF CONTENTS

NUMBER 1

SPECIAL ISSUE—OPTOELECTRONICS

ALAN G. STEVENTON: Editorial v

Lasers

J. E. BOWERS: High speed semiconductor laser design and performance 1

Y. L. WONG and J. E. CARROLL: A travelling-wave rate equation analysis for semiconductor lasers 13

TRIBHAWAN KUMAR: Self-consistent analysis of gain-guided triple stripe lasers 21

K. HAMADA, M. WADA, M. KUME, H. SHIMIZU, K. ITOH, G. KANO and I. TERAMOTO: A new high power semiconductor laser array of phase-locking free structure 33

L. A. KOSZI, A. K. CHIN, G. MINNECI and E. J. FLYNN: A dual-wavelength InP channeled-substrateburied-heterostructure laser light-source 39

Optical bistability

M. J. ADAMS: Physics and applications of optical bistability in semiconductor laser amplifiers 43

WANG SHOU-WU, WU RONG-HAN, ZHANG QUAN-SHENG and HU DAN-XIA: Optical bistability in a *pnpn* GaAs/GaAlAs laser diode 53

K. A. SHORE: Non-linear dynamics and chaos in semiconductor laser devices 59

D. JÄGER and F. FORSMANN: Optical, optoelectronic and electrical bistability and multistability in a silicon Schottky seed 67

Integrated optics

F. FIEDLER and A. SCHLACHETZKI: Optical parameters of InP-based waveguides 73

I. M. SKINNER, J. M. NADEN, B. L. WEISS and R. SHAIL: The modelling of lithium outdiffusion in He^+ implanted optical waveguides in $LiNbO_3$ 85

Detectors

RAJ KORDE and JON GEIST: Stable, high quantum efficiency, UV-enhanced silicon photodiodes by arsenic diffusion 89

J. ŠAFRÁNKOVÁ and P. KORDOŠ: Photocurrent multiplication in GaAs Schottky photodiodes 93

JYH-CHIARNG WU and JUH-TZENG LUE: The optimization of the optical cavity of infrared Schottky-barrier detectors 97

N. V. JOSHI and S. SWANSON: Theory and analysis of transient photoconductivity in CdSe:Cu 105

G. SCHUMM and T. K. PLANT: Undoped and chromium-doped semi-insulating GaAs photoconductive detectors 109

V. K. SINGH and B. B. PAL: Frequency dependent characteristics in an ion-implanted photo MESFET 113

HAILA WANG and DAVID ANKRI: High current gain heterojunction bipolar phototransistor for monolithic integrated photoreceiver 119

J. S. MARSLAND: A lucky drift model, including a soft threshold energy, fitted to experimental measurements of ionization coefficients 125

Optical/microwave devices

I. ANDERSSON and S. T. ENG: Analysis of a high-speed laser-controlled microstrip directional coupler 133

SOFTWARE SURVEY SECTION:
Monte Carlo simulation program—RESIS—for electron exposure of RESIST I

Announcement V

NUMBER 2

Announcement i

M. PASSLACK, R. STENZEL and H. ELSCHNER: Optimization of n^+ self-aligned short-channel normally-off GaAs MESFETs by two-dimensional numerical device simulation 139

P. CHAKRABARTI, S. C. CHOUDHURY and B. B. PAL: Large-signal behaviour of double-avalanche-region IMPATT diodes 147

S. B. ROY, M. C. ASH and A. N. DAW: Study of a buried SIN^+ P homojunction solar cell 155

W. KOWALSKY and A. SCHLACHETZKI: Analysis of the transferred-electron effect in the InGaAsP system 161

D. NESHEVA: Properties of amorphous CdS–crystalline Si junctions 173

J. REBOLLO, E. FIGUERAS, J. MILLÁN, E. LORA-TAMAYO and F. SERRA-MESTRES: Analysis of the quasi-saturation region of high voltage VDMOS devices 177

R. M. WARNER JR: A note on the equality of bulk and inversion-layer capacitance at threshold 181

A. MOGRO-CAMPERO, R. P. LOVE, M. F. CHANG and R. F. DYER: Temperature behavior and annealing of insulated gate transistors subjected to localized lifetime control by proton implantation 185

L. P. CHEN, C. Y. CHANG and T. S. WU: Morphology and defect study in low pressure MOCVD grown AlGaAs 189

J. M. BORREGO, R. J. GUTMANN, N. JENSEN and O. PAZ: Non-destructive lifetime measurement in silicon wafers by microwave reflection 195

WŁADYSŁAW DĄBROWSKI: Comments on the collective and corpuscular approach of generation–recombination noise in a p–n junction 205

S. S. GONG and D. K. SCHRODER: Implantation gettering in silicon 209

K. A. EMERY, C. R. OSTERWALD and H. AHARONI: Spectral mismatch correction for GaAs solar cells with varying junction depths 213

J. M. CHAMBERLAIN, A. A. REEDER, R. J. TURNER, E. KUPHAL and J. L. BENCHIMOL: Effective masses and evidence for alloy disorder effects in $Ga_xIn_{1-x}As_yP_{1-y}$ investigated by shallow donor photoconductivity 217

W. C. HSU, C. Y. CHANG, S. S. HAU and S. J. WANG: Observation of bias-dependent capture-emission processes in MBE-grown GaAs layers 221

Y. SHACHAM-DIAMAND, T. CHUH and W. G. OLDHAM: The electrical properties of Hg-sensitized "photox"-oxide layers deposited at 80°C 227

B. R. NAG, S. R. AHMED and M. DEB ROY: High-field autocovariance coefficient, diffusion coefficient and noise in InGaAs at 300 K 235

Notes

J. MCGHEE, I. A. HENDERSON and M. SAFFARI: End region recombination and boundary determined current density in PIN diodes 241

L. SZARO: Effects of surface states on steady-state photoresponse of thin semiconductor film under subbandgap illumination 242

LINO REGGIANI and PAOLO LUGLI: Comments on van der Ziel's "A generalized expression for diffusion noise and hot-electron noise at arbitrary drift velocities" 246

A. VAN DER ZIEL: Supplementary remarks on "A generalized expression for diffusion noise and hot-electron noise at arbitrary drift velocities" 246

SOFTWARE SURVEY SECTION I

NUMBER 3

Announcement i

C. H. LING, C. Y. KWOK and P. K. WOO: Relaxation of trapped charge at silicon grain boundary states 247

K. P. PANDE, E. MARTIN, D. GUTIERREZ and O. AINA: An optimal annealing technique for ohmic contacts to ion-implanted n-layers in semi-insulating indium phosphide 253

A. D. VAN RHEENEN, G. BOSMAN and R. J. J. ZIJLSTRA: Low frequency noise measurements as a tool to analyze deep-level impurities in semiconductor devices 259

V. K. SINGH and B. B. PAL: Optically-controlled switching characteristics of silicon MESFETs 267

FRANCISCO A. RUBINELLI: Amorphous–crystalline silicon heterojunction: theoretical studies of the dark current and spectral response 273

D. J. Roulston and F. Hébert: Optimization of maximum oscillation frequency of a bipolar transistor 281

K. K. Parat, S. Bothra, J. M. Borrego and S. K. Ghandhi: Solar cells in bulk InP, made by an open tube diffusion process 283

Jože Furlan, Slavko Amon, Franci Smole and Zvone Klopčič: Effect of a high–low junction on solar cell emitter recombination current 289

Krzysztof Iniewski and Andrzej Jakubowski: Procedure for determination of a linear approximation doping profile in a MOS structure 295

Selim S. Bencuya, Andrew J. Steckl and B. C. Burkey: Impact of edge effects on charge-packet-splitting accuracy 299

Chen-Chung Chao and Marvin H. White: Characterization of charge injection and trapping in scaled SONOS/MONOS memory devices 307

F. Balestra, L. Audaire and C. Lucas: Influence of substrate freeze-out on the characteristics of MOS transistors at very low temperatures 321

E. W. Haas and R. Hofmann: The application of radioanalytical methods in semiconductor technology 329

Dao-Long Chen, David W. Greve and Alberto M. Guzman: Characterization of aluminum/LPCVD polysilicon Schottky barrier diodes 339

F. A. Rubinelli: Amorphous–crystalline silicon anisotype heterojunctions: built-in potential, its distribution and depletion widths 345

Notes

Yearn-Ik Choi and Wilson Kwan: On the surface electric field of junction diodes with a tapered window 353

J.-C. Manifacier, Y. Moreau and H. K. Henisch: A tunable, current-controlled, light-emitting diode 354

A. Fortini and S. Munoglu: Influence of series resistance and internal capacitance on the forward voltage decay in a *P–N* junction 357

Software Survey Section I

NUMBER 4

Announcement i

I. Abdel-Motaleb and L. Young: A simple self-aligned GaAs MESFET using polyimide 361

W. Cox: Boundary value problems in Boltzmann modelling of hot electron transport 365

Satoshi Tazawa, Tadao Takeda, Kiyoyuki Yokoyama, Masaaki Tomizawa and Akira Yoshii: Application of two-dimensional process/device simulation for evaluating MOSFET fabrication processes 375

HSUN-HUA TSENG and CHING-YUAN WU: A simple interfacial-layer model for the nonideal I–V and C–V characteristics of the Schottky-barrier diode 383

S. N. CHATTOPADHYAY, V. K. SINGH and B. B. PAL: Accurate modeling of an ion-implanted MESFET 391

ANDREI SILARD, FLORIN PERA and GABRIEL NANI: High efficiency, large-area p^+–n–n^+ silicon solar cells 397

IBRAHIM M. ABDEL-MOTALEB, WILLIAM C. RUTHERFORD and LAWRENCE YOUNG: GaAs inverted common drain logic (ICDL) and its performance compared with other GaAs logic families 403

Z. Q. FANG, T. E. SCHLESINGER and A. G. MILNES: Suppression of copper-related level in LEC pGaAs by platinum diffusion 415

Z. CELIK-BUTLER and T. Y. HSIANG: Spectral dependence of $1/f^{\gamma}$ noise on gate bias in N-MOSFETs 419

D. H. J. TOTTERDELL, S. C. JAIN and J. W. LEAKE: Reverse bias voltage decay and measurement of the dark current in semiconductor radiation detectors 425

JAMES M. NORAS: Extraction of interface state attributes from MOS conductance measurements 433

STAFFAN GUSTAFSSON, ROLF SUNDBLAD and CHRISTER SVENSSON: Noise behavior of a static induction transistor between 77 K and 300 K 439

G. HOBLER, E. LANGER and S. SELBERHERR: Two-dimensional modeling of ion implantation with spatial moments 445

J. J. LIOU and F. A. LINDHOLM: Lifetime determination in P/N junction diodes and solar cells from open-circuit-voltage decay including junction capacitance effects 457

SOFTWARE SURVEY SECTION I

NUMBER 5

Announcement i

P. FELIX and J. L. PELLOIE: General calculation of MOSFET transconductance in the saturation range: electric-field-induced improvement in the strong-inversion region 463

ROBERT CAVERLY and EDWARD PECK: A finite-element model and characterization of the p–i–n magnetodiode at microwave frequencies 473

KURT LEHOVEC and HENRY BAO: Space-charge-limited current flow through semi-insulating gallium arsenide 479

CHIAN S. CHANG and HAROLD R. FETTERMAN: An analytic model for high-electron-mobility transistors 485

TETSUAKI WADA, MASAO SUGIMOTO and TSUNEO AJIKI: The influence of passivation and packaging on electromigration 493

CLIFFORD M. KROWNE and PHILLIP E. THOMPSON: Ion-implanted GaAs slow wave monolithic structure 497

S. C. JAIN and P. BALK: A unified analytical model for drain-induced barrier lowering and drain-induced high electric field in a short-channel MOSFET 503

JENG-JYE SHIAU, ALAN L. FAHRENBRUCH and RICHARD H. BUBE: A method to improve the speed and sensitivity of constant-capacitance voltage transient measurements 513

A. EL-HENNAWY, M. H. EL SAID, J. BOREL and G. KAMARINOS: Modelling of MOSFETs at strong narrow pulses for VLSI applications 519

GHEORGHE BREZEANU, CLEOPATRA CABUZ, DAN DASCALU and PETRU ALEXANDRU DAN: A computer method for the characterization of surface-layer ohmic contacts 527

M. J. B. BOLT and J. G. SIMMONS: The conduction properties of SIPOS 533

D. SANDS, K. M. BRUNSON and C. B. THOMAS: The relative contributions of recombination and tunnelling at interface states to the a.c. conductance of metal-insulator semiconductor diodes 543

T. YAMAMOTO, K. MATSUMOTO and A. YUSA: Analysis of SIT I–V characteristics by two-dimensional simulation 549

NARAIN D. ARORA: Semi-empirical model for the threshold voltage of a double implanted MOSFET and its temperature dependence 559

SOFTWARE SURVEY SECTION I

NUMBER 6

B.-K. LIEW, J. L. TANDON and M.-A. NICOLET: Study of solid-phase reactions of metals on GaAs with a TiN diffusion barrier 571

T. T. MNATSAKANOV, I. L. ROSTOVTSEV and N. I. PHILATOV: Investigation of the effect of nonlinear physical phenomena on charge carrier transport in semiconductor devices 579

S. MANZINI and G. QUEIROLO: Conduction properties of silicon dioxide in oxide–nitride–oxide structures 587

F. A. RUBINELLI: Theoretical $C(V)$ equation of an amorphous–crystalline heterojunction at low frequency 593

K. OKAMOTO and H. MIYASHITA: Comparison between front-side and back-side irradiation in rapid lamp-annealing of silicon-implanted GaAs 601

K. S. RABBANI: Investigations on field enhanced generation in semiconductors 607

D. C. LOOK: Bulk and contact electrical properties by the magneto-transmission-line method: application to GaAs 615

T. S. KALKUR and A. G. NASSIBIAN: Scanned electron beam alloyed ohmic contacts to n-GaAs 619

T. Ohtoshi, K. Yamaguchi, C. Nagaoka, T. Uda, Y. Murayama and N. Chinone: A two-dimensional device simulator of semiconductor lasers 627

M. Zafar Iqbal, N. Baber, M. Arshad and N. Zafar: Sensitive thermometry using capacitance variation of GaP LEDs 639

Osman L. El-Sayed, S. El-Ghazaly, G. Salmer and M. Lefebvre: Performance analysis of sub-micron gate GaAs MESFETs 643

John Faricelli and Gennady Gildenblat: Numerical verification of substrate current model in silicon IGFETs 655

M. Y. Soliman and S. E.-D. Habib: Surface recombination velocity in MINP solar cells 663

Notes

A. Ben Arab, J. Boucher and M. Wahbi: Effects of finite dimensions on the LBIC photocurrent expressed with an analytical two-dimensional solution 667

Ram P. Gupta and W. S. Khokle: Comments on "An improved model to explain ohmic contact resistance of n-GaAs and other semiconductors" 672

P. S. Neelakantaswamy and R. I. Turkman: Noise characteristics of ionizing-radiation-stressed MOSFET devices 673

Software Survey Section I

NUMBER 7

P. Chakrabarti and B. B. Pal: Optical characteristics of a superlattice avalanche photodiode 675

P. J. Ledakovitch, R. Agarwal and S. K. Ghandhi: Fabrication and characteristics of tin-doped n-layers into gallium arsenide by an open-tube diffusion process 681

S. Noor Mohammad: Emitter efficiency, transit times and current gain of bipolar transistors 685

M. Ali Omar and Lino Reggiani: Drift and diffusion of charge carriers in silicon and their empirical relation to the electric field 693

C. D. Parikh and J. Vasi: Modelling of a depletion-mode MOSFET 699

M. Tabib-Azar, Nam-Chun Park and P. Das: Transient type-inversion of semi-insulating GaAs under strong illumination at 140 K detected by the nondestructive surface-acoustic-wave technique 705

S. Noor Mohammad: Boundary conditions and current–voltage relations for heavily doped p–n diodes 713

W. C. Wong and H. L. Kwok: Transition from Schottky barriers to p–n junctions 719

C. R. Selvakumar and D. J. Roulston: A new simple analytical emitter model for bipolar transistors 723

R. A. BRUCE and G. R. PIERCY: An improved Au–Ge–Ni ohmic contact to *n*-type GaAs 729

YU C. KAO: A new structure in junction devices 739

J.-C. MARCHETAUX, B. S. DOYLE and A. BOUDOU: Interface states under LOCOS bird's beak region 745

KONSTANTINOS MISIAKOS and F. A. LINDHOLM: Minority-carrier accumulation at the base edge of a junction space-charge region under short-circuit conditions 755

INAN CHEN: Theoretical analysis of charge transfer in thin-film charge-coupled devices 759

M. ADA-HANIFI, J. SICART, J. L. ROBERT and D. BIELLE-DASPET: Hubbard's sub-band conduction in Si poly–SiO_2 transition layers 765

A. VAN DER ZIEL and T. G. M. KLEINPENNING: High-frequency response of microwave transistors 771

Notes

C. R. SELVAKUMAR: A new minority carrier lifetime model for heavily doped GaAs and InGaAsP to obtain analytical solutions 773

T. J. ZHANG and S. Y. LI: Electrical properties at the Nd-doped Si–SiO_2 interface 775

Conference report

CAROLYN M. VAN VLIET and A. VAN DER ZIEL: Summary of the 2nd Quantum $1/f$ Noise Conference held at the University of Minnesota, 24 October 1986 777

SOFTWARE SURVEY SECTION I

NUMBER 8

S. C. CHANG, D. W. KISKER and D. A. STEVENSON: Characterization of chemically deoxidized liquid phase epitaxial GaAs 779

C. BASAVANA GOUD and K. N. BHAT: On the choice of appropriate ionization coefficients for breakdown voltage calculations 787

C. Y. LU, M. C. MORGAN and N. S. TSAI: Subthreshold characteristics of DMOS and CMOS transistors in high voltage BCDMOS technology 793

R. LAL and J. VASI: Profiling generation lifetime in an MOS capacitor using a multistep constant-capacitance technique 801

A. EZIS, D. W. LANGER and C. W. TU: The dependence of AlGaAs/GaAs MODFET isolation on material and device structure 807

AKIRA YOSHII, MASAAKI TOMIZAWA and KIYOYUKI YOKOYAMA: Investigation of numerical algorithms in semiconductor device simulation 813

J. H. SATTER: Effective length and width of MOSFETs determined with three transistors 821

P. FAZAN, M. DUTOIT, C. MARTIN and M. ILEGEMS: Charge generation in thin SiO_2 polysilicon-gate MOS capacitors 829

D. R. WOLTERS and H. L. PEEK: Fowler–Nordheim tunneling in implanted MOS devices 835

CHUNG-LEN LEE, TAN FU LEI, NENG-WEI WU and REY-BIN TANG: A polysilicon-on-oxide (POSOX) isolation structure for bipolar integrated circuits 841

A. N. KHONDKER and A. F. M. ANWAR: Analytical models for AlGaAs/GaAs heterojunction quantum wells 847

ALEXIS DE VOS: Photovoltaics in a single dimension 853

Q. Z. ZHANG and D. K. SCHRODER: A new long-channel MOSFET model 859

TETSUJI IMAI, SHUNRO FUKE, AKIRA TAKEUCHI, TSUTOMU UCHIDA and KAZUHIRO KUWAHARA: Electrical behavior of *Np* AlGaAs/GaAs heterojunctions with high acceptor concentrations 865

R. STENZEL, H. ELSCHNER and R. SPALLEK: Numerical simulation of GaAs MESFETs including velocity overshoot 873

MING-JER CHEN and CHING-YUAN WU: A simplified computer analysis for *n*-well guard ring efficiency in CMOS circuits 879

Notes

MENG-KAI CHEN, FRED A. LINDHOLM and TAE-WON JUNG: Non-quasi-static small-signal models for semiconductor junction diodes with extensions for transistors 883

WEI LI and M. EL NOKALI: A new model for CMOS latch-up 885

SIMON SZETO and RAFAEL REIF: Steady state lattice heating by hot carriers in silicon bipolar transistors 887

SOFTWARE SURVEY SECTION I

NUMBER 9

A. M. DE ALMEIDA and S. S. LI: Retention-temperature and endurance characteristics of the MNOS capacitor with processing variations as parameter 889

ULRIKE ZUGELDER and DAVID J. ROULSTON: Analytic results for the base region of bipolar transistors based on computer simulations 895

D. P. MUNICH and R. F. PIERRET: Crystal structure and band gap of AlGaAsN 901

DAVID HARAME, BARRY GINSBERG, MAURIZIO ARIENZO, SIEGFRIED MADER and MONICA D'AGOSTINO: Electrical characteristics of diodes fabricated in selective-epitaxial silicon wells 907

E. M. AZOFF: Generalized energy-momentum conservation equations in the relaxation time approximation 913

D. S. H. CHAN, J. C. H. PHANG and H. W. WONG: Experimentally observed deviations from the superposition principle in crystalline silicon solar cells at low illuminations 919

S. C. JAIN, J. TSAO and W. J. KERWIN: The spectral response and efficiency of heavily doped emitters in silicon photovoltaic devices 927

A. YANKOVA, L. DO THANH and P. BALK: Effects of thermal nitridation on the trapping characteristics of SiO_2 films 939

W. J. STRYDOM, J. C. LOMBAARD and R. PRETORIUS: Low temperature formation of insulating layers on silicides by anodic oxidation 947

HON-SUM WONG, MARVIN H. WHITE, THOMAS J. KRUTSICK and RICHARD V. BOOTH: Modeling of transconductance degradation and extraction of threshold voltage in thin oxide MOSFET's 953

MASANORI ITO, TAKASHI MIKAWA and OSAMU WADA: An approach to determining impact ionization rates in semiconductor junctions 969

JAU HWANG HO, CHUNG LEN LEE, CHEIN WEI JEN and TAN FU LEI: Ellipsometry measurements on SiO_2 films for thicknesses under 200Å 973

Notes

R. F. PIERRET and W.-M. AU: Photo-accelerated MOS-C C-t transient measurements 983

CHENG T. WANG: A three-dimensional threshold voltage expression for MOSFETs with deep-trench isolation 984

B. K. JONES and V. O. KATAI: The non-ideal current in bipolar transistors 987

SOFTWARE SURVEY SECTION I

NUMBER 10

S. DIMITRIJEV and N. STOJADINOVIĆ: Analysis of CMOS transistor instabilities 991

P. E. BAGNOLI and A. NANNINI: Effects of interfacial states on the capacitance–voltage characteristics of Pd/SiO_2/n-Si Schottky diodes 1005

O. JÄNTSCH and B. BORCHERT: Determination of interface state density especially at the band edges by noise measurements on MOSFETs 1013

L. P. J. P. PREMARATNE and Y. T. YEOW: Numerical evaluation of the scanning method for the determination of minority carrier diffusion length in p–n junctions 1017

GREGORY B. TAIT and CLIFFORD M. KROWNE: Efficient transferred electron device simulation method for microwave and millimeter wave CAD applications 1025

GÉRARD GHIBAUDO: A simple derivation of Reimbold's drain current spectrum formula for flicker noise in MOSFETs 1037

C. E. ALLEVATO, J. SELDERS, F. SCHULTE and H. BENEKING: Ohmic contacts on p-type $Ga_{0.47}In_{0.53}As$/InP 1039

R. D. SCHRIMPF, D.-H. JU and R. M. WARNER JR: Subthreshold transconductance in the long-channel MOSFET 1043

G. GHIBAUDO and B. CABON: Influence of hot-electron-induced aging on the dynamic conductance of short-channel MOSFETs 1049

M. K. MORAVVEJ-FARSHI and M. A. GREEN: Novel self-aligned polysilicon-gate MOSFETs with polysilicon source and drain 1053

T. A. DEMASSA and K. L. HSUEH: Threshold voltage predictions from MICROMOS: a 3-D MOS simulator 1063

H.-U. SCHREIBER: Bulk electromigration and contact interface electromigration and conditions for eliminating both mechanisms in SiO_2-covered aluminum lines 1069

SOFTWARE SURVEY SECTION I

NUMBER 11

SPECIAL ISSUE

New Developments in the
PHYSICS OF HOMO- AND HETEROJUNCTIONS

R. J. VAN OVERSTRAETEN, R. P. MERTENS and A. NEUGROSCHEL: Foreword and Introduction v

ROGER J. VAN OVERSTRAETEN and ROBERT P. MERTENS: Heavy doping effects in silicon 1077

ALAN H. MARSHAK: Transport equations for highly doped devices and heterostructures 1089

HILMI UNLU and ALLEN NUSSBAUM: A review of models for heterojunction band offsets 1095

A. G. MILNES: Heterojunctions: some knowns and unknowns 1099

PETER T. LANDSBERG: The band–band Auger effect in semiconductors 1107

JOACHIM WAGNER: Optical characterization of heavily doped silicon 1117

Y. H. KWARK and R. M. SWANSON: *N*-Type SIPOS and poly-silicon emitters 1121

JESÚS A. DEL ALAMO and RICHARD M. SWANSON: Modelling of minority-carrier transport in heavily doped silicon emitters 1127

HERBERT S. BENNETT: Modeling silicon emitters for VLSI transistors 1137

J. SYMONS, M. GHANNAM, A. NEUGROSCHEL, J. NIJS and R. MERTENS: Silicon heterojunction bipolar transistors with amorphous and microcrystalline emitters 1143

MOUSTAFA Y. GHANNAM: Characterization of the heavily (non-degenerate) boron-doped Si–SiO_2 interface 1147

B. BENNA, T. F. MEISTER and H. SCHABER: The role of the interfacial layer in bipolar (poly-Si)-emitter transistors 1153

J. P. BAILBE, A. MARTY and G. REY: III, V Heterojunction bipolar transistors 1159

ARNOST NEUGROSCHEL: Emitter injection efficiency in heterojunction bipolar transistors 1171

R. BAETS: Heterostructures in III–V optoelectronic devices 1175

DIETER FRITZSCHE: Heterostructures in MODFETs 1183

DANY LORET: Two-dimensional numerical model for the high electron mobility transistor 1197

JOSEPH J. LOFERSKI: Optimization of II–VI based heterojunctions 1205

P. DE VISSCHERE, M. BURGELMAN and H. PAUWELS: II–VI Heterojunction device physics 1215

SOFTWARE SURVEY SECTION I

NUMBER 12

W. I. KHAN: A new theoretical model for a p–n junction realistic diode 1221

C. BULUCEA and A. RUSU: A first-order theory of the static induction transistor 1227

A. J. MOUTHAAN: Buried injector logic, a vertical IIL using deep ion implantation 1243

J. A. AKINTUNDE: Laser annealing of GaAs implanted with low doses of selenium ions 1251

X.-F. ZENG, D. D. L. CHUNG and AMIR LAKHANI: Effect of heating on the structure of Au/GaAs encapsulated with SiO_2 1259

ALAN G. SOLHEIM and DAVID J. ROULSTON: Optimization of transconductance in JFETs and MESFETs 1267

D. K. GAUTAM, W. S. KHOKLE and K. B. GARG: Drift velocity and ionization coefficient for holes in single-valley semiconductors 1271

C. T. SAH: New integral representations of circuit models and elements for the circuit technique for semiconductor device analysis 1277

A. DAS GUPTA and S. K. LAHIRI: A new boron implantation model suitable for analytical modeling of threshold voltage of MOSFETs 1283

R. ADAR, Y. NEMIROVSKY and I. KIDRON: Bulk tunneling contribution to the reverse breakdown characteristics of InSb gate controlled diodes 1289

D. A. BUCHANAN, R. A. ABRAM and M. J. MORANT: Charge trapping in silicon-rich Si_3N_4 thin films 1295

W. J. KLEEN: Thermal radiation, thermal noise and zero-point energy 1303

ASEN M. ASENOV, EVGENY N. STEFANOV and BOZHIDAR Z. ANTOV: Numerical study of the effect of the doping profile on the threshold voltage of narrow-channel MOS transistor 1305

GREGORY B. TAIT and CLIFFORD M. KROWNE: Determination of transport parameters for InP device simulations in n^+nn^+ structures 1317

SUDHIR AGGARWAL, A. B. BHATTACHARYYA and SUDHIR CHANDRA: A novel two-dimensional MOS transistor for analog applications 1323

WEI LI and M. EL NOKALI: Transient analysis for a new CMOS latchup model 1331

JERZY M. KURIAŃSKI, ULRICH THEDEN, MARTIN A. GREEN and JOHN W. V. STOREY: Full Schottky high density 2-D infrared charge coupled detector array 1341

M. KAMADA, H. ISHIKAWA, Y. MORI and C. KOJIMA: Ohmic contacts on selectively doped AlInAs/GaInAs heterostructures using Ni, AuGe and Au 1345

M. ALI OMAR and LINO REGGIANI: Drift velocity and diffusivity of hot carriers in germanium: model calculations 1351

Notes

E. ARVAS, R. I. TURKMAN and P. S. NEELAKANTASWAMY: MOSFET analysis through numerical solution of Poisson's equation by the method of moments 1355

MEHRAN BAGHERI: Simple explicit expressions for the moderate inversion limits in long channel MOSFETs for analog applications 1357

K. Y. TONG: The threshold voltage of short-channel BC-MOSFET in the enhancement mode 1360

SOFTWARE SURVEY SECTION I